# Babies & todallers KEEPING THEMSAFE

If you are being physically or psychologically abused by your partner, it can harm your baby - both before and after she or he is born.

Babies and toddlers need safe environments to grow into healthy and well-adjusted children. Environments where there is violence, intimidation, fear and uncertainty are not safe.

Whilst some people feel that leaving an abusive partner will deprive their child of a family relationship, there is strong evidence to suggest that parental conflict has a worse effect on children's development and adjustment than separation or divorce.

Whether you decide to stay in the relationship, or leave, your children will, in most cases, still have contact with the person using the violence. This fact sheet is about the effects of domestic and family violence on babies and toddlers and provides strategies for you to protect your children against its consequences.

He started shoving me around when I got pregnant and I was covered in bruises. Then he got scared and told me not to tell the doctor.

I was afraid of him, so I didn't.



Pregnancy should be a joyous time for you and your partner – the celebration of a new life who will be part of the plans you have made together. Your health and the health of your baby should be your and your partner's first priority.

If you are experiencing physical and/or sexual abuse during your pregnancy your baby may be affected in a number of ways, including:

- Late or no prenatal care.
- Substance abuse if you are unable to maintain a healthy lifestyle and resort to the use of cigarettes and alcohol to help deal with the stress you are experiencing.
- Delays in brain growth.
- Early delivery.
- Low birth weight.
- Foetal trauma, injury or death.

We know that people play their favourite music to their unborn baby when they are pregnant, to make the baby feel calm and loved. So, what does the unborn baby feel when their mother is being abused? What would a baby feel if:

- Their mother was screaming because she was being dragged across the room by her hair?
- Their mother was gasping for air because she was being strangled?
- Their mother was constantly anxious and fearful and unable to sleep?

Babies and toddlers are never too young to be affected by domestic and family violence.

Living with ongoing domestic or family violence affects the development of babies' and toddlers' brains. These effects can be permanent.

Babies and toddlers need lots of affection and positive attention, sensitive responses to their fears, consistent and caring discipline, regular routines and an environment that is safe and predictable.

If your baby or toddler is present during a domestic violence incident they are at risk of:

- Being hit by thrown objects.
- Being threatened with injury in order to alarm or distress you.
- Being severely traumatised.

Babies as young as six weeks show clear disturbances in response to domestic and family violence. Babies and toddlers react strongly to tension, fear and aggression in their environment.

When there is violence at home they can:

- Feel the stress and tension that their mother is experiencing.
- Experience delays in their speech and toileting.



Domestic violence causes so much fear, worry and stress for parents, that they often are not able to comfort and soothe their babies and toddlers to help them feel safe again. When babies and toddlers don't regularly find comfort, safety and security, their relationship with their parents becomes damaged. These damaged relationships can lead to serious emotional problems for the child, both now and in the future.

Continuing tension, fear and aggression in the environment in which you live can interfere with babies' and toddlers' development of trust and independence

## WHAT YOU CAN DO.....

Violence is the sole responsibility of the person who uses it; it is not your fault. However, there are things you can do to lessen the impact of being exposed to violence on your baby or toddler even if you are unable to remove them from the situation. Providing a loving and caring environment where you are emotionally available can help your baby overcome the damaging effects of living with domestic and family violence.

How to help your baby or toddler:

- Get to know your baby's/toddler's moods, signs of tiredness or distress. Hold him/her closely, rock gently and use gentle tones to soothe and comfort her/him when distressed.
- Look at your baby/toddler in the eyes when you are talking to them.
- Smile and use a soothing and gentle voice when you're changing nappies, feeding, bathing him/her.
- Play short games with your baby/toddler gentle tickles, peek-a-boo, sing nursery rhymes or read to your baby/toddler.
- Follow your child's lead in communication mimic her/his babbles, coos, 'ba-ba-bas'; follow her/his lead in games as they make up their own versions.
- Say positive and encouraging words like "good girl/boy; you're beautiful; Mummy loves you".
- Use gentle touch and kisses and firm cuddles to show your baby or toddler that she/he is safe in your arms.
- Keep a regular routine of meal times, sleep times, bath times and quiet times. This makes your child's daily life predictable and helps her/him feel secure.
- Join a playgroup with your toddler mixing with other parents and children can be fun and reassure you that you are doing a good job.

# WHAT CAN YOU DO FOR YOURSELF?

There are people who can provide confidential counselling to help you consider your options and increase your safety, whether you decide to stay in an abusive relationship, or leave. The priority is you, and your children's, safety.

Call DVConnect, for free confidential assistance on 1800 811 811 (24 hours).

Read *Everyone has the right to feel safe in their own home* fact sheet, which includes questions women who are subjected to domestic and family violence commonly ask. It is available at: <a href="http://www.noviolence.com.au/public/factsheets/factsheetforwomen.pdf">http://www.noviolence.com.au/public/factsheets/factsheetforwomen.pdf</a> or <a href="http://www.noviolence.com.au">www.noviolence.com.au</a> and click on 'resources' and then 'fact sheets'.

# HOW DO YOU KNOW THAT WHAT YOU'RE EXPERIENCING IS ABUSE? ASK YOURSELF THESE QUESTIONS.........

- Does my partner regularly shout or swear at me and/or my children?
- Am I sometimes afraid of my partner?
- Does my partner hurt or threaten to hurt me or my children?
- Does my partner force me to have unwanted sex?
- Am I constantly trying to keep the peace to manage my partner's behaviour?
- Am I worried that my partner's behaviour will affect my child's development?

If you have answered 'yes' to any of these questions, contact a domestic violence support service. They will provide you with free, non-judgemental, confidential help and advice to keep you and your children safe.

# FIND YOUR CLOSEST DOMESTIC VIOLENCE SUPPORT SERVICE

A list of domestic violence services in Queensland is available at: www.noviolence.com.au/supportservices.html

or, if you do not have access to the Internet:
Call Womensline, DVConnect's 24 hour domestic violence telephone service on 1800 811 811.

### Sources:

DoC Services 2002, Domestic violence and its impact on children's development, viewed April 14 2011, http://www.community.nsw.gov.au/docswr/\_assets/main/documents/dv\_paper.pdf.

Behrman, RE (ed.) 1999, The future of children, vol. 9 no. 3, The David and Lucile Packard Foundation: Los Angeles.

Briere, JN (ed.) 1992, Child abuse trauma - theory and treatment of the lasting effects, Sage publications, California.

Corry, BA 2000, 'Domestic violence and your unborn baby', viewed 9 April 2011, http://www.angelfire.com/ar/LRfuzz1/aibpreg.html

Dobash, RE & Dobash, RP (eds) 1998, Rethinking violence against women, Sage publications, USA.

Edleson, JL 1999, 'Children's witnessing of adult domestic violence', Journal of Interpersonal Violence, vol. 14, pp. 839-870.

Irwin, J, Waugh, F & Wilkinson, M 2002, Domestic violence and child protection: a research report, University of Sydney, NSW.

Jaffe, PG, Wolfe, DA & Wilson, SK 1990, Children of battered women, Sage publications, California.

Jasinski, JL 2004, 'Pregnancy and domestic violence - a review of the literature', Trauma, violence and abuse, vol. 5, no. 1, pp. 47-64.

Malos, E 2002, Children's perspectives on domestic violence, Sage publications, UK.

McIntosh, JE 2000, 'Thought in the face of violence: a child's need', paper presented at the National forum: The way forward: Children young people and domestic violence, Melbourne.

Perry, BD 2001, 'Incubated in terror: neurodevelopmental factors in the 'cycle of violence", in J Osofsky (ed.), Children, Youth and Violence: The Search for Solutions, Guildford Press, New York.

Perry, BD 2001, 'The neurodevelopmental impact of violence in childhood ', in D Schetky & EP Benedek (eds), Textbook of Child and Adolescent Forensic Psychiatry, American Psychiatric Press Inc, Washington D.C.

Perry, BD 2002, 'The vortex of violence. How children adapt and survive in a violent world', Child Trauma Academy, viewed 14 April 2011, https://files.pbworks.com/download/CelmlmkrG8/pennfm/15690128/Perry\_2002\_Vortex%20of%20Violence.pdf?ld=1

Shore, R 1997, Rethinking the brain: new insights into early development families, Families and Work Institute, New York.







The Queensland Centre for Domestic and Family Violence Research (CDFVR) receives defined term funding from the Queensland Department of Communities to undertake research and develop educational resources pertaining to domestic and family violence in Queensland.

Copyright © 2011 Queensland Centre for Domestic and Family Violence Research